


### Kruskal's Algorithm



- (A, D)
- (E, H)
- (F, G)
- (A, B)
- (B, D)
- (G, E)
- (G, H)
- (E, C)
- (C, H)
- (E, F)
- (F, C)
- (D, E)
- (B, C)
- (C, D)
- (A, F)
- (D, F)

```

Pseudocode for Kruskal's MST Algorithm
1  KruskalMST(G) :
2    DisjointSets forest
3    foreach (Vertex v : G) :
4      forest.makeSet(v)
5
6    PriorityQueue Q // min edge weight
7    foreach (Edge e : G) :
8      Q.insert(e)
9
10   Graph T = (V, {})
11
12   while |T.edges()| < n-1:
13     Vertex (u, v) = Q.removeMin()
14     if forest.find(u) == forest.find(v) :
15       T.addEdge(u, v)
16       forest.union( forest.find(u) ,
17                    forest.find(v) )
18
19   return T

```

### Kruskal's Running Time Analysis

We have multiple choices on which underlying data structure to use to build the Priority Queue used in Kruskal's Algorithm:

Priority Queue Implementations:	Heap	Sorted Array
<b>Building</b> : 6-8		
<b>Each removeMin</b> : 13		

Based on our algorithm choice:

Priority Queue Implementation:	Total Running Time
Heap	
Sorted Array	

### Reflections

Why would we prefer a Heap?

Why would be prefer a Sorted Array?


### Partition Property

Consider an arbitrary partition of the vertices on **G** into two subsets **U** and **V**.


Let **e** be an edge of minimum weight across the partition.

Then **e** is part of some minimum spanning tree.


*Proof in CS 374!*



## Partition Property Algorithm



## Prim's Minimum Spanning Tree Algorithm



### Pseudocode for Prim's MST Algorithm

```

1  PrimMST(G, s):
2  Input: G, Graph;
3         s, vertex in G, starting vertex of algorithm
4  Output: T, a minimum spanning tree (MST) of G
5
6  foreach (Vertex v : G):
7      d[v] = +inf
8      p[v] = NULL
9  d[s] = 0
10
11  PriorityQueue Q // min distance, defined by d[v]
12  Q.buildHeap(G.vertices())
13  Graph T // "labeled set"
14
15  repeat n times:
16      Vertex m = Q.removeMin()
17      T.add(m)
18      foreach (Vertex v : neighbors of m not in T):
19          if cost(v, m) < d[v]:
20              d[v] = cost(v, m)
21              p[v] = m
22
23  return T
    
```

## Running Time of MST Algorithms

Kruskal's Algorithm:

Prim's Algorithm:

**Q:** What must be true about the connectivity of a graph when running an MST algorithm?

...what does this imply about the relationship between **n** and **m**?

	Adj. Matrix	Adj. List
Heap		
Unsorted Array		

### CS 225 – Things To Be Doing:

1. Programming Exam C through April 21th
2. MP7 Released – Slightly different structure:  
Hard Deadline on Monday, April 22nd for Part 1
3. lab\_ml in lab this week!
4. Daily POTDs are ongoing for +1 point /problem